



SINGLE PHASE, 56C FRAME, TEFC
1/3-2 HP 2,4 POLE
HIGH STARTING TORQUES
MANUAL OVERLOAD PROTECTION (OPTIONAL)
CAPACITOR START / CAPACITOR RUN DESIGN
ROLLED STEEL FRAME CONSTRUCTION IP55
PROTECTION-REMOVABLE FEET



**NEMA PREMIUM EFFICIENCY
INVERTER DUTY MOTORS**
MEETS OR EXCEEDS NEMA PREMIUM
EFFICIENCY LEVELS QUALIFIES FOR
ENERGY EFFICIENCY REBATES



SINGLE PHASE, FARM DUTY, TEFC
1/3-10 HP 4 POLE
HIGH STARTING TORQUES
MANUAL OVERLOAD PROTECTION (1/3 THRU 5 HP)
CAPACITOR START / CAPACITOR RUN DESIGN
ROLLED STEEL FRAMES CAST IRON ENDBELLS



PREMIUM CRUSHER DESIGN MOTORS
1-600 HP 4,6,8 POLE
NEMA DESIGN C HIGH STRENGTH 4140 GRADE
STAINLESS STEEL SHAFT
586/7U FRAME HEAVY DUTY CAST IRON
CONSTRUCTION (INCLUDING FAN COVER)
BEARING SIZES: DE=NU324 ODE=6324



SINGLE PHASE OPEN DRIPPROOF
3,5 HP 4 POLE
HIGH STARTING TORQUES
CAPACITOR START / CAPACITOR RUN DESIGN
ROLLED STEEL FRAME CONSTRUCTION
CAST IRON ENDBELLS



**NEMA PREMIUM EFFICIENT
ROUND BODY MOTOR**
1-30 HP; 1800 RPM
C - FACE WITHOUT FEET



THREE PHASE, 56C FRAME, TEFC
1/3-3 HP 2,4 POLE
HIGH EFFICIENCY DESIGN
GENERAL PURPOSE MOTORS
ROLLED STEEL FRAME CONSTRUCTION,
ALUMINUM ENDBELLS
IP55 PROTECTION REMOVABLE FEET



**PREMIUM EFFICIENCY
EXPLOSION PROOF MOTORS**
1-300 HP 2,4,6 POLE
ALL MOTORS MEET OR EXCEED UL 674 SPECIFICATION
AS REQUIRED BY OSHA FOR INSTALLATION AND USE
IN HAZARDOUS LOCATIONS.
CLASS I, DIVISION I, GROUPS C&D AND
CLASS II, DIVISION I, GROUPS E,F AND G
UL CERTIFIED - FILE E228654
CSA + "C" + "US" - CANADIAN STANDARD ISO9001



**THREE PHASE, TEFC
ROLLED STEEL MOTORS**
1-10 HP 2,4 POLE
HIGH EFFICIENCY DESIGN-GENERAL PURPOSE,
LIGHT WEIGHT ROLLED STEEL FRAME



OIL WELL PUMP MOTORS, TEFC
3-150 HP 6 POLE
NEMA DESIGN D HIGH SLIP(5% TO 8% SLIP)
SPECIAL PURPOSE OIL WELL PUMP MOTORS
HEAVY DUTY CAST IRON FRAME CONSTRUCTION



THREE PHASE OPEN DRIPPROOF
1-20 HP 2,4,6 POLE
HIGH EFFICIENCY DESIGN GENERAL
PURPOSE MOTORS
ROLLED STEEL FRAME CONSTRUCTION,
CAST IRON ENDBELLS



OIL WELL PUMP MOTORS, ODP
7.5-50 HP 6 POLE
NEMA DESIGN D HIGH SLIP(5% TO 8% SLIP)
SPECIAL PURPOSE OIL WELL PUMP MOTORS
HEAVY DUTY CAST IRON FRAME CONSTRUCTION



**STAINLESS STEEL
WASHDOWN DUTY MOTORS**
1/3 HP - 20HP 2,4,6 POLE
IP 66 PROTECTION
INVERTER DUTY



**ROTARY UNIT FOR
ROTARY PHASE CONVERTER**
3-60 HP 4 POLE
FOR USE WITH ROTARY PHASE CONVERTERS
TO RUN THREE PHASE EQUIPMENT FROM
SINGLE PHASE POWER
HIGH EFFICIENCY DESIGN, HEAVY DUTY CAST
IRON CONSTRUCTION, TEFC



**CLOSE COUPLED
PUMP MOTORS**
1-50 HP, CAST IRON
HIGH EFFICIENCY
CORROSION RESISTANT PAINT



**VERTICAL HOLLOW SHAFT
PUMP MOTORS
HIGH EFFICIENCY AND
STANDARD EFFICIENCY**
10 - 500 HP, 4 POLE
HIGH TORQUE - HIGH THRUST



**SHAFT MOUNT REDUCERS
& ACCESSORIES**
SIZES 2-10
GEAR RATIOS: 15:1 & 25:1
SCREW CONVEYOR ADAPTERS NOW AVAILABLE
REPAIR KITS ALSO AVAILABLE



ELECTRIC MOTOR CONTROL
FULL VOLTAGE STARTERS
SOFT STARTS
VFD's
PART WIND / WYE - DELTA STARTERS



MOTOR SLIDE BASES
AVAILABLE 56C THRU 505U

